M.04.P.01.064 rev.02/All. 04

FORMATO EUROPEO PER IL CURRICULUM VITAE

INFORMAZIONI PERSONALI

Nome	**PUGLIESE GIUSEPPE**
Indirizzo	**Via Germanico 197, 00192 Roma**
Telefono	**06 33775440/5249/5049**
Fax	**06 33776327**
E-mail	**giuseppe.pugliese@uniroma1.it**
CODICE FISCALE	**PGL GPP 54S29 H501F**
Ordine professionale	**Ordine dei medici-chirurghi-odontoiatri di Roma n. 36011**
Nazionalità	**Italiana**
Data di nascita	**29 Novembre 1954**

ESPERIENZA LAVORATIVA

• Date (da – a)	2018- Professore Ordinario di Endocrinologia (MED/13), Facoltà di Medicina e Psicologia, Dipartimento di Medicina Clinica e Molecolare, Università di Roma "La Sapienza" 2018- Responsabile Unità Operativa Complessa di Medicina Specialistica Endocrino-Metabolica, Azienda Ospedaliera Sant'Andrea, Roma 2017-18 Professore Ordinario di Scienze Tecniche Dietetiche Applicate (MED/49), Facoltà di Medicina e Psicologia, Dipartimento di Medicina Clinica e Molecolare, Università di Roma "La Sapienza". 2013-17 Professore Associato di Scienze Tecniche Dietetiche Applicate (MED/49), Facoltà di Medicina e Psicologia, Dipartimento di Medicina Clinica e Molecolare, Università di Roma "La Sapienza". 2013-18 Responsabile Unità Operativa Dipartimentale di Diabetologia, Azienda Ospedaliera Sant'Andrea, Roma 2010-13 Responsabile ff, Unità Operativa Complessa di Medicina 2 - Diabetologia, Azienda Ospedaliera Sant'Andrea, Roma. 2001-10 Dirigente Medico di I livello, Unità Operativa Complessa di Medicina 2 - Diabetologia, Azienda Ospedaliera Sant'Andrea, Roma. 2000-13 Professore Associato di Endocrinologia (MED/13), Facoltà di Medicina e Psicologia, Dipartimento di Medicina Clinica e Molecolare, Università di Roma "La Sapienza". 1998-01 Dirigente Medico di I livello, Divisione di Endocrinologia, Dipartimento di Scienze Cliniche, Azienda Ospedaliera Policlinico Umberto I, Roma. 1990-00 Funzionario Tecnico, Dipartimento di Medicina Sperimentale e Patologia (1990-1999) e Scienze Cliniche (nel 1999), Università di Roma "La Sapienza". 1993-98 Dirigente Medico di I livello e, prima, Assistente Medico, Servizio di Diagnosi delle Malattie Piastriniche, Dipartimento di Medicina Sperimentale e Patologia, Policlinico Umberto I, Roma. 1990-93 Assistente Medico, Servizio di Immunopatologia, Dipartimento di Medicina Sperimentale e Patologia, Policlinico Umberto I, Roma. 1989-90 Assistente Medico, Servizio di Accettazione, Ospedale San Camillo, Roma, USL RM10 (ora Azienda Ospedaliera N. Green). 1986-88 "Research Associate" e, prima, "Research Fellow", laboratorio della "Kilo Diabetes & Vascular Research Foundation", Department of Pathology, Washington University School of Medicine, St.Louis (Missouri, USA).
• Nome e indirizzo del datore di lavoro	Università di Roma "La Sapienza", Piazzale Aldo Moro 5, 00185 Roma Azienda Ospedaliera Sant'Andrea, Via di Grottarossa 1035-1039, 00189 Roma

• Tipo di azienda o settore	Sanità
• Tipo di impiego	Professore Ordinario, Dirigente medico
• Principali mansioni e responsabilità	Professore Ordinario di Endocrinologia (MED/13), Facoltà di Medicina e Psicologia, Dipartimento di Medicina Clinica e Molecolare, Università di Roma "La Sapienza". Responsabile Unità Operativa Complessa di Medicina Specialistica Endocrino-Metabolica, Azienda Ospedaliera Sant'Andrea, Roma.

ISTRUZIONE E FORMAZIONE

• Date (da – a)	1992 Diploma di Specializzazione in Endocrinologia e Malattie del Ricambio, Università di Roma "La Sapienza", con votazione 70/70 e lode. 1990 Diploma di Dottore di Ricerca in Scienze Endocrinologiche e Metaboliche, Università di Roma "La Sapienza". 1986-88 "Research Fellow", prima, e "Research Associate", poi, Laboratorio della "Kilo Diabetes & Vascular Research Foundation", Department of Pathology, Washington University School of Medicine, St.Louis (Missouri, USA). 1983 Diploma di Specializzazione in Medicina Interna, Università di Roma "La Sapienza", con votazione 70/70 e lode. 1979 Abilitazione all'esercizio professionale, Università di Roma "La Sapienza", con votazione 104/110. 1978 Laurea in Medicina e Chirurgia, Università di Roma "La Sapienza", con votazione 110/110 e lode. 1972 Diploma di Maturità Classica, Liceo Dante Alighieri, Latina, con votazione 44/60.
AREE DI INTERESSE SCIENTIFICO, ASSISTENZIALE E CULTURALE .	Docente di Malattie del Sistema Endocrino e Metabolico, Corso di Laurea Specialistica in Medicina e Chirurgia, II Facoltà di Medicina e Chirurgia, Università di Roma "La Sapienza". Docente di Diabetologia, Scuola di Specializzazione in Endocrinologia e Malattie del Ricambio, II Facoltà di Medicina e Chirurgia, Università di Roma "La Sapienza". Componente del Collegio dei docenti del Dottorato di Ricerca in Scienze Endocrinologichje, Università di Roma "La Sapienza". Docente di Endocrinologia, Corso Integrato di Podologia Speciale III, Corso di Laurea in Podologia, II Facoltà di Medicina e Chirurgia, Università di Roma "La Sapienza" Membro del Comitato Scientifico del Centro Studi della Società Italiana di Diabetologia (SID) (2009-2012). Membro del Consiglio Direttivo della SID (2008-2012). Membro del Consiglio Direttivo della Fondazione per la Ricerca SID (Fo.Ri.SID) (2008-2011). Co-direttore della rivista "Il Diabete", organo ufficiale della SID (2004-2008) Presidente della Sezione Regionale del Lazio della SID (2006-2008). Membro del Board dello European Diabetic Nephropathy Study Group (EDNSG) (2005-2009). Coordinatore del Gruppo di Studio sulla Nefropatia Diabetica della SID (2004-2008).
PRIMA LINGUA	**ITALIANO**
ALTRE LINGUE	**INGLESE**
• Capacità di lettura	OTTIMA
• Capacità di scrittura	OTTIMA
• Capacità di espressione orale	OTTIMA
CAPACITÀ E COMPETENZE RELAZIONALI .	OTTIME
CAPACITÀ E COMPETENZE ORGANIZZATIVE	OTTIME

PUBBLICAZIONI

.

1. Iacobini C, **Pugliese G**, Fantauzzi CB, Federici M, Menini S. Metabolically healthy versus metabolically unhealthy obesity. Metabolism. 2018 Nov 17. pii: S0026-0495(18)30248-8. doi: 10.1016/j.metabol.2018.11.009.

2. Saglimbene V, Palmer SC, Ruospo M, Natale P, Maione A, Nicolucci A, Vecchio M, Tognoni G, Craig JC, Pellegrini F, Lucisano G, Hegbrant J, Ariano R, Lamacchia O, Sasso A, Morano S, Filardi T, De Cosmo S, **Pugliese G**, Procaccini DA, Gesualdo L, Palasciano G, Johnson DW, Tonelli M, Strippoli GFM; Long-Term Impact of RAS Inhibition on Cardiorenal Outcomes (LIRICO) Investigators. The Long-Term Impact of Renin-Angiotensin System (RAS) Inhibition on Cardiorenal Outcomes (LIRICO): A Randomized, Controlled Trial. *J Am Soc Nephrol.* 2018 Nov 12. pii: ASN.2018040443. doi: 10.1681/ASN.2018040443.

3. Bertoccini L, Bailetti D; SUMMER Study in Diabetes Group, Buzzetti R, Cavallo MG, Copetti M, Cossu E, D'Angelo P, De Cosmo S, Di Mauro L, Leonetti F, Morano S, Morviducci L, Napoli N, Prudente S, **Pugliese G**, Trischitta V, Baroni MG. Variability in genes regulating vitamin D metabolism is associated with vitamin D levels in type 2 diabetes. *Oncotarget.* 2018;9:34911-34918.

4. Pugliese G, Porta M. Issue focusing: a new topical collection on diabetic nephropathy. *Acta Diabetol.* 2018 Sep 12. doi: 10.1007/s00592-018-1228-6.

5. Penno G, Solini A, Orsi E, Bonora E, Fondelli C, Trevisan R, Vedovato M, Cavalot F, Lamacchia O, Scardapane M, Nicolucci A, **Pugliese G**; Renal Insufficiency And Cardiovascular Events (RIACE) Study Group. Non-albuminuric renal impairment is a strong predictor of mortality in individuals with type 2 diabetes: the Renal Insufficiency And Cardiovascular Events (RIACE) Italian multicentre study. *Diabetologia.* 2018;61:2277-2289.

6. Orsi E, Solini A, Bonora E, Fondelli C, Trevisan R, Vedovato M, Cavalot F, Gruden G, Morano S, Nicolucci A, Penno G, **Pugliese G**; Renal Insufficiency And Cardiovascular Events (RIACE) Study Group. Haemoglobin A_{1c} variability is a strong, independent predictor of all-cause mortality in patients with type 2 diabetes. *Diabetes Obes Metab.* 2018; 20:1885-1893.

7. Menini S, Iacobini C, **Pugliese G**, Pesce CM. Dietary interventions to contrast the onset and progression of diabetic nephropathy: A critical survey of new data. *Crit Rev Food Sci Nutr.* 2018; 58:1671-1680.

8. Penno G, Solini A, Bonora E, Orsi E, Fondelli C, Zerbini G, Trevisan R, Vedovato M, Cavalot F, Laviola L, Nicolucci A, **Pugliese G**; Renal Insufficiency and Cardiovascular Events (RIACE) Study Group. Defining the contribution of chronic kidney disease to all-cause mortality in patients with type 2 diabetes: the Renal Insufficiency And Cardiovascular Events (RIACE) Italian Multicenter Study. *Acta Diabetol.* 2018; 55:603-612.

9. Menini S, Iacobini C, de Latouliere L, Manni I, Ionta V, Blasetti Fantauzzi C, Pesce C, Cappello P, Novelli F, Piaggio G, **Pugliese G**. The advanced glycation endproduct N^{ε}-carboxymethyllysine promotes progression of pancreatic cancer: implications for diabetes-associated risk and its prevention. *J Pathol.* 2018; 245:197-208.

10. Iacobini C, Fantauzzi CB, Bedini R, Pecci R, Bartolazzi A, Amadio B, Pesce C, **Pugliese G**, Menini S. Galectin-3 is essential for proper bone cell differentiation and activity, bone remodeling and biomechanical competence in mice. *Metabolism.* 2018;83:149-158.

11. Iacobini C, Menini S, Blasetti Fantauzzi C, Pesce CM, Giaccari A, Salomone E, Lapolla A, Orioli M, Aldini G, **Pugliese G**. FL-926-16, a novel bioavailable carnosinase-resistant carnosine derivative, prevents onset and stops progression of diabetic nephropathy in db/db mice. *Br J Pharmacol.* 2018; 175:53-66.

12. Blasetti Fantauzzi C, Menini S, Iacobini C, Rossi C, Santini E, Solini A, **Pugliese G**. Deficiency of the purinergic receptor $2X_7$ attenuates non-alcoholic steatohepatitis induced by high-fat diet: possible role of the NLRP3 inflammasome. *Oxid Med Cell Longev.* 2017; 2017:8962458.

13. Ciullini L, Pennica A, Argento G, Novarini D, Teti E, **Pugliese G**, Aceti A, Conti FG. Trabecular bone score (TBS) is associated with sub-clinical vertebral fractures in HIV-infected patients. *J Bone Miner Metab.* 2017; 36:111-118.

14. Conti F, Ciullini L, **Pugliese G**. Hypophosphatasia: clinical manifestation and burden of disease in adult patients. *Clin Cases Miner Bone Metab.* 2017;14:230-234.

15. Iacobini C, Fantauzzi CB, **Pugliese G**, Menini S. Role of galectin-3 in bone cell differentiation, bone pathophysiology and vascular osteogenesis. *Int J Mol Sci.* 2017; 18:2481.

16. Conti F, Balducci S, Pugliese L, D'Errico V, Vitale M, Alessi E, Salerno G, Iacobini C, Menini S, Bollanti L, Nicolucci A, **Pugliese G**. Correlates of Calcaneal Quantitative Ultrasound Parameters in Patients with Diabetes: The Study on the Assessment of Determinants of Muscle and Bone Strength Abnormalities in Diabetes. *J Diabetes Res.* 2017; 2017:4749619.

17. Lunati ME, Bedeschi MF, Resi V, Grancini V, Palmieri E, Salera S, Lalatta F, **Pugliese G**, Orsi E. Impaired glucose metabolism in subjects with the Williams-Beuren syndrome: a five-year follow-up cohort study. *PLoS One.* 2017; 12:e0185371.

18. Vaccaro O, Masulli M, Nicolucci A; Rivellese AA, Bonora E, Del Prato S, Maggioni AP, Squatrito S, Giorda CB, Giorgio Sesti G, Mocarelli P, Lucisano G; Sacco S; Signorini S; Cappellini F; Perriello G, Babini AC, Lapolla A, Gregori G, Giordano C, Corsi L, Buzzetti R, Clemente G, Di Cianni G, Iannarelli R, Cordera R, Lamacchia O, Zamboni C, Scaranna C, Boemi M, Iovine C, Lauro D, Leotta S, Dall'Aglio E, Cannarsa E, Tonutti L, **Pugliese G**, Bossi AC, Anichini R, Dotta F, Di Benedetto A, Citro G, Antenucci D, Ricci L, Giorgino F, Santini C, Gnasso A, De Cosmo S, Zavaroni D, Vedovato M, Consoli A, Calabrese M, Di Bartolo P, Fornengo P, Riccardi G. Long term effects on cardiovascular events, glucose control and safety of metformin plus pioglitazone or sulfonylureas in type 2 diabetes. The TOSCA.IT Study. *Lancet Diabetes Endocrinol.* 2017; 5:887-897.

19. Balducci S, D'Errico V, Haxhi J, Sacchetti M, Orlando G, Cardelli P, Vitale M, Bollanti L, Conti F, Zanuso S, Nicolucci A, **Pugliese G**; Italian Diabetes and Exercise Study 2 (IDES-_2) Investigators. Effect of a behavioral intervention strategy for adoption and maintenance of a physically active lifestyle: The Italian Diabetes and Exercise Study (IDES) 2: A Randomized Controlled Trial. *Diabetes Care.* 2017; 40:1444-1452.

20. Orsi E, Grancini V, Menini S, Aghemo A, **Pugliese G**. Hepatogenous diabetes: Is it time to separate it from type 2 diabetes? *Liver Int.* 2017; 37:950-962.

21. Balducci S, D'Errico V, Haxhi J, Sacchetti M, Orlando G, Cardelli P, Di Biase N, Bollanti L, Conti F, Zanuso S, Nicolucci A, **Pugliese G**, for the Italian Diabetes and Exercise Study 2 (IDES_2) Investigators. Level and correlates of physical activity and sedentary behavior in patients with type 2 diabetes. A cross-sectional analysis of the Italian Diabetes and Exercise Study_2. *PLoS One.* 2017; 12:e0173337.

22. Orlando G, Balducci S, Bazzucchi I, **Pugliese G**, Sacchetti M. The impact of type 1 diabetes and diabetic polyneuropathy on muscle strength and fatigability. *Acta Diabetol.* 2017; 54:543-550.

23. Orlando G, Balducci S, Bazzucchi I, **Pugliese G**, Sacchetti M. Muscle fatigability in type 2 diabetes. *Diabetes Metab Res Rev.* 2017; 33(1).

24. Santoboni F, Balducci S, D'Errico V, Haxhi J, Vetrano M, Piccinini G, Ferretti A, **Pugliese G**, Vulpiani MC. Extracorporeal shockwave therapy improves functional outcomes of adhesive capsulitis of the shoulder in diabetic patients. *Diabetes Care.* 2017; 40:e12-e13.

25. Orlando G, Balducci S, Bazzucchi I, **Pugliese G**, Sacchetti M. Neuromuscular dysfunction in type 2 diabetes: underlying mechanisms and effect of resistance training. *Diabetes Metab Res Rev.* 2016;32:40-50.

26. de Latouliere L, Manni I, Iacobini C, **Pugliese G**, Grazi GL, Perri P, Cappello P, Novelli F, Menini S, Piaggio G. A bioluminescent mouse model of proliferation to highlight early stages of pancreatic cancer: A suitable tool for preclinical studies. *Ann Anat.* 2016; 207:2-8.

27. Salvi L, Plateroti P, Balducci S, Bollanti L, Conti FG, Vitale M, Recupero SM, Enrici MM, Fenicia V, **Pugliese G**. Abnormalities of retinal ganglion cell complex at optical coherence tomography in patients with type 2 diabetes: a sign of diabetic polyneuropathy, not retinopathy. *J Diabetes Complications.* 2016; 30:469-476.

28. Barchetta I, Capoccia D, Baroni MG, Buzzetti R, Cavallo MG, De Cosmo S, Leonetti F, Leotta S, Morano S, Morviducci L, Prudente S, **Pugliese G**, Trischitta V; SUMMER Study in Diabetes Group. The "Sapienza University Mortality and Morbidity Event Rate (SUMMER) study in diabetes": Study protocol. *Nutr Metab Cardiovasc Dis.* 2016; 26:103-108.

29. Solini A, Manca ML, Penno G, **Pugliese G**, Cobb JE, Ferrannini E. Prediction of declining renal function and albuminuria in patients with type 2 diabetes by metabolomics. *J Clin Endocrinol Metab.* 2016; 101:696-704.

30. Menini S, Iacobini C, Blasetti Fantauzzi C, Pesce CM, **Pugliese G**. Role of galectin-3 in obesity and impaired glucose homeostasis. *Oxid Med Cell Longev.* 2016; 2016:9618092.

31. Zanuso S, Bergamin M, Jimenez A, **Pugliese G**, D'Errico V, Nicolucci A, Ermolao A, Balducci S. Determination of metabolic equivalents during low- and high-intensity resistance exercise in healthy young subjects and patients with type 2 diabetes. *Biol Sport.* 2016; 33:77-82.

32. Balducci S, Sacchetti M, Haxhi J, Orlando G, Zanuso S, Cardelli P, Cavallo S, D'Errico V, Ribaudo MC, Di Biase N, Salvi L, Vitale M, Bollanti L, Conti FG, Nicolucci A, **Pugliese G**; Italian Diabetes and Exercise Study 2 (IDES_2) Investigators. The Italian Diabetes and Exercise Study 2 (IDES-2): a long-term behavioral intervention for adoption and maintenance of a physically active lifestyle. *Trials.* 2015; 16:569.

33. Grancini V, Trombetta M, Lunati ME, Zimbalatti D, Boselli ML, Gatti S, Donato MF, Resi V, D'Ambrosio R, Aghemo A, **Pugliese G**, Bonadonna RC, Orsi E. Contribution of β-cell dysfunction and insulin resistance to cirrhosis-associated diabetes: role of severity of liver disease. *J Hepatol.* 2015; 63:1484-1490.

34. Penno G, Solini A, Zoppini G, Fondelli C, Trevisan R, Vedovato M, Cavalot F, Gruden G, Lamacchia O, Laviola L, Orsi E, **Pugliese G**; Renal Insufficiency Cardiovascular Events (RIACE) Study Group. Independent correlates of urinary albumin excretion within the normoalbuminuric range in patients with type 2 diabetes: The Renal Insufficiency And Cardiovascular Events (RIACE) Italian Multicentre Study. *Acta Diabetol.* 2015; 52:971-981.

35. Balducci S, Cardelli P, Pugliese L, D'Errico V, Haxhi J, Alessi E, Iacobini C, Menini S, Bollanti L, Conti FG, Nicolucci A, **Pugliese G**; Italian Diabetes Exercise Study (IDES) Investigators. Volume-dependent effect of supervised exercise training on fatty liver and visceral adiposity index in subjects with type 2 diabetes The Italian Diabetes Exercise Study (IDES). *Diabetes Res Clin Pract.* 2015; 109:355-363.

36. Penno G, Solini A, Zoppini G, Fondelli C, Trevisan R, Vedovato M, Gruden G, Lamacchia O, Pontiroli AE, Arosio M, Orsi E, **Pugliese G**; Renal Insufficiency And Cardiovascular Events (RIACE) Study Group. Hypertriglyceridemia is independently associated with renal, but not retinal complications in subjects with type 2 diabetes: A cross-sectional analysis of the Renal Insufficiency And Cardiovascular Events (RIACE) Italian Multicenter Study. *PLoS One.* 2015; 10:e0125512.

37. Menini S, Iacobini C, Ricci C, Blasetti Fantauzzi C, **Pugliese G**. Protection from diabetes-induced atherosclerosis and renal disease by D-carnosine-octylester: effects of early versus late inhibition of advanced glycation end-products in *Apoe*-null mice. *Diabetologia* 2015; 58:845-853.

38. **Pugliese G**, Iacobini C, Pesce CM, Menini S. Galectin-3: an emerging all-out player in metabolic disorders and their complications. *Glycobiology.* 2015; 25:136-150.

39. **Pugliese G**, Iacobini C, Fantauzzi CB, Menini S. The dark and bright side of atherosclerotic calcification. *Atherosclerosis.* 2015; 238:220-230.

40. **Pugliese G**. Updating the natural history of diabetic nephropathy. *Acta Diabetol.* 2014; 51:905–915.

41. Solini A, Zoppini G, Orsi E, Fondelli C, Trevisan R, Vedovato M, Cavalot F, Lamacchia O, Arosio M, Baroni MG, Penno G, **Pugliese G**; for the Renal Insufficiency And Cardiovascular Events (RIACE) Study Group. Resistant hypertension in patients with type 2 diabetes: clinical correlates and association with complications. *J Hypertens.* 2014; 32:2401-2410.

42. **Pugliese G**, Iacobini C, Ricci C, Blasetti Fantauzzi C, Menini S. Galectin-3 in diabetic patients. *Clin Chem Lab Med.* 2014; 52:1413-1423.

43. Stöhr R, Cavalera M, Menini S, Mavilio M, Casagrande V, Rossi C, Urbani A, Cardellini M, **Pugliese G**, Menghini R, Federici M. Loss of TIMP3 exacerbates atherosclerosis in ApoE null mice. *Atherosclerosis.* 2014; 235:438-443.

44. **Pugliese G**, Solini A, Bonora E, Fondelli C, Orsi E, Nicolucci A, Penno G; RIACE Study Group. Chronic kidney disease in type 2 diabetes: Lessons from the Renal Insufficiency

And Cardiovascular Events (RIACE) Italian Multicentre Study. *Nutr Metab Cardiovasc Dis.* 2014; 24:815-822.

45. **Pugliese G**, Solini A, Bonora E, Orsi E, Zerbini G, Fondelli C, Gruden G, Cavalot F, Lamacchia O, Trevisan R, Vedovato M, Penno G; RIACE Study Group. Distribution of cardiovascular disease and retinopathy in patients with type 2 diabetes according to different classification systems for chronic kidney disease: a cross-sectional analysis of the renal insufficiency and cardiovascular events (RIACE) Italian multicenter study. *Cardiovasc Diabetol.* 2014; 13:59.

46. Balducci S, Vulpiani MC, Pugliese L, D'Errico V, Menini S, Salerno G, Gargiulo L, Ferretti A, **Pugliese G**. Effect of supervised exercise training on musculoskeletal symptoms and function in patients with type 2 diabetes: the Italian Diabetes Exercise Study (IDES). *Acta Diabetol.* 2014; 51:647-654.

47. Tiberti C, Panimolle F, Bonamico M, Filardi T, Pallotta L, Nenna R, Pontone S, Dotta F, **Pugliese G**, Lenzi A, Balducci S, Morano S. Long-standing type 1 diabetes: patients with adult-onset develop celiac-specific immunoreactivity more frequently than patients with childhood-onset diabetes, in a disease duration-dependent manner. *Acta Diabetol.* 2014; 51:675-678.

48. Centis E, Trento M, Dei Cas A, Pontiroli AE, De Feo P, Bruno A, Sasdelli AS, Arturi F, Strollo F, Vigili De' Kreutzenberg S, Invitti C, Di Bonito P, Di Mauro M, **Pugliese G**, Molteni A, Marchesini G. Stage of change and motivation to healthy diet and habitual physical activity in type 2 diabetes. *Acta Diabetol.* 2014; 51:559-566.

49. **Pugliese G**, Balducci S. NAVIGATOR: physical activity for cardiovascular health? *Lancet.* 2014; 383:1022-1023.

50. Balducci S, Sacchetti M, Haxhi J, Orlando G, D'Errico V, Fallucca S, Menini S, **Pugliese G**. Physical exercise as therapy for type 2 diabetes mellitus. *Diabetes Metab Res Rev.* 2014; 30 Suppl 1:13-23.

51. Balducci S, Sacchetti M, Orlando G, Salvi L, Pugliese L, Salerno G, D'Errico V, Iacobini C, Conti FG, Zanuso S, Nicolucci A, **Pugliese G**, for the Study on the Assessment of Determinants of Muscle and Bone Strength Abnormalities in Diabetes (SAMBA) Investigators. Correlates of muscle strength in diabetes. The Study on the Assessment of Determinants of Muscle and Bone Strength Abnormalities in Diabetes (SAMBA). *Nutr Metab Cardiovasc Dis.* 2014; 24:18-26.

52. Menini S, Iacobini C, Ricci C, Blasetti Fantauzzi C, Salvi L, Pesce CM, Rilucenti M, Familiari G, Taurino M, **Pugliese G**. The galectin-3/RAGE dyad modulates vascular osteogenesis in atherosclerosis. *Cardiovasc Res.* 2013; 100:472-480.

53. Conti F, Wolosinska DT, **Pugliese G**. Diabetes and bone fragility: a dangerous liaison. *Aging Clin Exp Res.* 2013; 25:S39-S41.

54. Solini A, Menini S, Rossi C, Ricci C, Santini E, Blasetti Fantauzzi C, Iacobini C, **Pugliese G**. The purinergic 2X7 receptor participates in renal inflammation and injury induced by high fat diet: possible role of NLRP3 inflammasome activation. *J Pathol.* 2013; 231:342-353.

55. Lunati ME, Grancini V, Agnelli F, Gatti S, Masserini B, Zimbalatti D, **Pugliese G**, Rossi G, Donato MF, Colombo M, Beck-Peccoz P, Orsi E. Metabolic syndrome after liver transplantation: short-term prevalence and pre- and post-operative risk factors. *Dig Liver Dis.* 2013; 45:833-839.

56. Penno G, Solini A, Bonora E, Fondelli C, Orsi E, Zerbini G, Morano S, Cavalot F, Lamacchia O, Trevisan R, Vedovato M, **Pugliese G**. Hemoglobin A1c variability as an independent correlate of cardiovascular disease in patients with type 2 diabetes. A cross-sectional analysis of the Renal Insufficiency And Cardiovascular Events (RIACE) Italian Multicenter Study. *Cardiovasc Diabetol.* 2013; 12:98.

57. Solini A, Penno G, Bonora E, Fondelli C, Orsi E, Trevisan R, Vedovato M, Cavalot F, Cignarelli M, Morano S, Ferrannini E, **Pugliese G**. Age, renal dysfunction, cardiovascular disease, and antihyperglycemic treatment in diabetes mellitus type 2: findings from the Renal Insufficiency and Cardiovascular Events Italian Multicenter Study. *J Am Geriatr Soc.* 2013; 61:1253-1261.

58. Penno G, Solini A, Bonora E, Fondelli C, Orsi E, Zerbini G, Trevisan R, Vedovato M, Gruden G, Laviola L, Nicolucci A, **Pugliese G**; The Renal Insufficiency Cardiovascular Events (RIACE) study group. Gender differences in cardiovascular disease risk factors,

treatments and complications in patients with type 2 diabetes: the RIACE Italian multicentre study. *J Intern Med.* 2013; 274:176-191.

59. Penno G, Solini A, Bonora E, Fondelli C, Orsi E, Zerbini G, Morano S, Cavalot F, Lamacchia O, Laviola L, Nicolucci A, **Pugliese G**; for the Renal Insufficiency And Cardiovascular Events (RIACE) Study Group. HbA1c variability as an independent correlate of nephropathy, but not retinopathy, in patients with type 2 diabetes: The Renal Insufficiency And Cardiovascular Events (RIACE) Italian Multicenter Study. *Diabetes Care.* 2013; 36: 2301-2310.

60. Fiorentino L, Cavalera M, Menini S, Marchetti V, Mavilio M, Fabrizi M, Conserva F, Casagrande V, Menghini R, Pontrelli P, Arisi I, D'Onofrio M, Lauro D, Khokha R, Accili D, **Pugliese G**, Gesualdo L, Lauro R, Federici M. Loss of TIMP3 underlies diabetic nephropathy via FoxO1/STAT1 interplay. *EMBO Mol Med.* 2013; 5:441-455.

61. Sacchetti M, Balducci S, Bazzucchi I, Carlucci F, di Palumbo AS, Haxhi J, Conti F, Di Biase N, Calandriello E, **Pugliese G**. Neuromuscular dysfunction in diabetes: Role of nerve impairment and training status. *Med Sci Sports Exerc.* 2013; 45:52-59.

62. Balducci S, Zanuso S, Cardelli P, Salvi L, Bazuro A, Pugliese L, Maccora C, Iacobini C, Conti F, Nicolucci A, **Pugliese G**. Effect of high- versus low-intensity supervised aerobic and resistance training on modifiable cardiovascular risk factors in type 2 diabetes. The Italian Diabetes and Exercise Study (IDES). *PLoSOne.* 2012; 7:e49297.

63. **Pugliese G**, Solini A, Zoppini G, Fondelli C, Zerbini G, Vedovato M, Cavalot F, Lamacchia O, Buzzetti R, Morano S, Nicolucci A, Penno G; for the Renal Insufficiency and Cardiovascular Events (RIACE) Study Group. High prevalence of advanced retinopathy in patients with type 2 diabetes from the Renal Insufficiency And Cardiovascular Events (RIACE) Italian Multicenter Study. *Diabetes Res Clin Pract.* 2012; 98:329-337.

64. Penno G, Solini A, Zoppini G, Orsi E, Zerbini G, Trevisan R, Gruden G, Cavalot F, Laviola L, Morano S, Nicolucci A, **Pugliese G**; for the Renal Insufficiency And Cardiovascular Events (RIACE) Study Group. Rate and determinants of association between advanced retinopathy and chronic kidney disease in patients with type 2 diabetes: The Renal Insufficiency And Cardiovascular Events (RIACE) Italian Multicenter Study. *Diabetes Care.* 2012; 35:2317-2323.

65. Balducci S, Zanuso S, Cardelli P, Salvi L, Mazzitelli G, Bazuro A, Iacobini C, Nicolucci A, **Pugliese G**; for the Italian Diabetes Exercise Study (IDES) Investigators. Changes in physical fitness predict improvements in modifiable cardiovascular risk factors independently of body weight loss in subjects with type 2 diabetes participating in the Italian Diabetes and Exercise Study (IDES). *Diabetes Care.* 2012; 35:1347-1354.

66. **Pugliese G**, Mazzitelli G, Bazuro A, Pugliese L, Salvi L. Mechanisms and clinical significance of reduced glomerular filtration rate in diabetes. *G Ital Diabetol Metab.* 2012; 32:10-19.

67. Nicolucci A, Balducci S, Cardelli P, Cavallo S, Fallucca S, Bazuro A, Simonelli P, Iacobini C, Zanuso S, **Pugliese G**; Italian Diabetes Exercise Study (IDES) Investigators. Relationship of exercise volume to improvements of quality of life with supervised exercise training in patients with type 2 diabetes in a randomised control trial: the Italian Diabetes and Exercise Study (IDES). *Diabetologia.* 2012; 55:579-588.

68. Menini S, Iacobini C, Ricci C, Scipioni A, Blasetti Fantauzzi C, Giaccari A, Salomone E, Canevotti R, Lapolla A, Orioli M, Aldini G, **Pugliese G**. D-carnosine-octylester attenuates atherosclerosis and renal disease in ApoE null mice fed a Western diet through reduction of carbonyl stress and inflammation. *Br J Pharmacol.* 2012; 166:1344-1356.

69. Menghini R, Casagrande V, Menini S, Marino A, Marzano V, Hribal ML, Gentileschi P, Lauro D, Schillaci O, **Pugliese G**, Sbraccia P, Urbani A, Lauro R, Federici M. TIMP3 overexpression in macrophage protects from insulin resistance, adipose inflammation and non alcholic fatty liver disease in mice. *Diabetes.* 2012; 61:454-462.

70. Casagrande V, Menghini R, Menini S, Marino A, Marchetti V, Cavalera M, Fabrizi M, Hribal ML, **Pugliese G**, Gentileschi P, Schillaci O, Porzio O, Lauro D, Sbraccia P, Lauro R, Federici M. Overexpression of TIMP3 in macrophages reduces atherosclerosis in LDLR knockout mice. *Arterioscler Thromb Vasc Biol.* 2012; 32:74-81.

71. Solini S, Penno G, Bonora E, Fondelli C, Orsi E, Arosio M, Trevisan R, Vedovato M, Cignarelli M, Andreaozzi F, Nicolucci A, **Pugliese G**, for the Renal Insufficiency And Cardiovascular Events (RIACE) Study Group. Diverging association of reduced glomerular

filtration rate and albuminuria with coronary and noncoronary events in patients with type 2 diabetes: the Renal Insufficiency And Cardiovascular Events (RIACE) Italian Multicentre Study. *Diabetes Care.* 2012; 35:143-149.

72. Balducci S, Zanuso S, Cardelli P, Salerno G, Fallucca S, Nicolucci A, **Pugliese G**, for the Italian Diabetes Exercise Study (IDES) Investigators. Supervised exercise training counterbalances the adverse effects of insulin therapy in overweight/obese subjects with type 2 diabetes. *Diabetes Care.* 2012; 35:39-41.

73. Calder PC, Ahluwalia N, Brouns F, Buetler T, Clement K, Cunningham K, Decock P, Esposito K, Jönsson LS, Kolb H, Lansink M, Marcos A, Margioris A, Matusheski N, Nordmann H, O'Brien J, **Pugliese G**, Riserus U, Rizkalla S, Schalkwijk C, Tuomilehto J, Wärnberg J, Watzl B, Winklhofer-Roob BM. Dietary factors and low-grade inflammation in relation to overweight and obesity. *Br J Nutr.* 2011; 106(Suppl. 3):S5:S78.

74. Balducci S, Zanuso S, **Pugliese G**, Church TS, Sigal RJ. Diet or diet plus physical activity in patients with early type 2 diabetes. *Lancet.* 2011; 378:2066.

75. Nicolucci A, Balducci S, Cardelli P, Zanuso S, **Pugliese G**; Italian Diabetes Exercise Study (IDES) Investigators. Improvement of quality of life with supervised exercise training improves quality of life in subjects with type 2 diabetes mellitus. *Arch Intern Med.* 2011; 171:1951-1953.

76. Penno G, Solini A, Bonora E, Fondelli C, Orsi E, Zerbini G, Trevisan R, Vedovato M, Gruden G, Cavalot F, Cignarelli M, Laviola L, Morano S, Nicolucci A, **Pugliese G**, for the Renal Insufficiency And Cardiovascular Events (RIACE) Study Group. Clinical significance of nonalbuminuric renal impairment in type 2 diabetes. *J Hypertens.* 2011; 29:1802-1809.

77. **Pugliese G,** Solini A, Bonora E, Orsi E, Zerbini G, Giorgino F, Cavalot F, Pontiroli AE, Baroni MG, Morano S, Nicolucci A, Penno G. The Chronic Kidney Disease Epidemiology Collaboration (CKD-EPI) equation provides a better definition of cardiovascular burden associated with CKD than the Modification of Diet in Renal Disease (MDRD) Study formula in subjects with type 2 diabetes. *Atherosclerosis.* 2011; 218:194-199.

78. **Pugliese G**, Solini A, Fondelli C, Trevisan R, Vedovato M, Nicolucci A, Penno G; for the Renal Insufficiency And Cardiovascular Events (RIACE) Study Group. Reproducibility of albuminuria in type 2 diabetic subjects. Findings from the Renal Insufficiency And Cardiovascular Events (RIACE) Study. *Nephrol Dial Transplant.* 2011; 26:3950-3954.

79. Iacobini C, Menini S, Ricci C, Blasetti Fantauzzi C, Scipioni A, Salvi L, Cordone S, Delucchi F, Serino M, Federici M, Pricci F, **Pugliese G.** Galectin-3 ablation protects mice from diet-induced nonalcoholic steatohepatitis. Major scavenging role of galectin-3 in liver. *J Hepatol.* 2011; 54:975-983.

80. Balducci S; Zanuso S; Nicolucci A; De Feo P, Cavallo S, Cardelli P; Fallucca S, Alessi E, Fallucca F, **Pugliese G**; for the Italian Diabetes Exercise Study (IDES) Investigators. Effect of an intensive exercise intervention strategy on modifiable cardiovascular risk factors in type 2 diabetic subjects. A Randomized Controlled Trial: The Italian Diabetes and Exercise Study (IDES). *Arch Intern Med.* 2010; 170:1794-1803.

81. Relucenti M, Heyn R, Petruzziello L, **Pugliese G**, Taurino M, Familiari G. Detecting microcalcifications in atherosclerotic plaques by a simple trichromic staining method for epoxy embedded carotid endarterectomies. *Eur J Histochem.* 2010; 54:e33.

82. Balducci S, Zanuso S, Nicolucci A, Fernando F, Cavallo S, Cardelli P, Fallucca S, Alessi E, Letizia C, Jimenez A, Fallucca F, **Pugliese G**. Anti-inflammatory effect of exercise training in subjects with type 2 diabetes and the metabolic syndrome is dependent on exercise modalities and independent of weight loss. *Nutr Metab Cardiovasc Dis.* 2010; 20:608-617.

83. Fiorentino L, Vivanti A, Cavalera M, Marzano V, Ronci M, Fabrizi M, Menini S, **Pugliese G**, Menghini R, Khokha R, Lauro R, Urbani A, Federici M. Increased tumor necrosis factor alpha-converting enzyme activity induces insulin resistance and hepatosteatosis in mice. *Hepatology.* 2010; 51:103-110.

84. Zanuso S, Jimenez A, **Pugliese G**, Corigliano G, Balducci S. Exercise for the management of type 2 diabetes: a review of the evidence. *Acta Diabetol*. 2009; 25 Suppl 1:S24-28.

85. **Pugliese G**, Zanuso S, Alessi E, Simonelli P, Fallucca S, Fallucca F, Balducci S. Self glucose monitoring and physical exercise in diabetes. *Diabetes Metab Res Rev.* 2009; 25 Suppl 1:S11-S17.

86. Balducci S, Zanuso S, Fernando F, Fallucca S, Fallucca F, **Pugliese G**; Italian Diabetes Exercise Study (IDES) Group. Physical activity/exercise training in type 2 diabetes. The role of the Italian Diabetes and Exercise Study. *Diabetes Metab Res Rev.* 2009; 25 Suppl 1:S29-S33.

87. Zanuso S, Balducci S, Gutierrez AJ, Bergamin M, **Pugliese G**. Similar energy expenditure from resistance training at moderate and vigorous intensity in subjects with type 2 diabetes. *Diabetes Res Clin Pract.* 2009; 85:e40-e41.

88. Iacobini C, Menini S, Ricci C, Scipioni A, Sansoni V, Cordone S, Taurino M, Serino M, Marano G, Federici M, Pricci F, **Pugliese G**. Accelerated lipid-induced atherogenesis in galectin-3-deficient mice: role of lipoxidation via receptor-mediated mechanisms. *Arterioscler Thromb Vasc Biol.* 2009; 29:831-836.

89. Iacobini C, Menini S, Ricci C, Scipioni A, Sansoni V, Mazzitelli G, Cordone S, Pesce C, Pugliese F, Pricci F, **Pugliese G**. Advanced lipoxidation end-products mediate lipid-induced glomerular injury: role of receptor-mediated mechanisms. *J Pathol.* 2009; 218:360-369.

90. Menghini R, Menini S, Amoruso R, Fiorentino L, Casagrande V, Marzano V, Tornei F, Bertucci P, Iacobini C, Serino M, Porzio O, Hribal ML, Folli F, Khokha R, Urbani A, Lauro R, **Pugliese G**, Federici M. Tissue inhibitor of metalloproteinase 3 deficiency causes hepatic steatosis and adipose tissue inflammation in mice. *Gastroenterology.* 2009; 136:663-672.

91. Balducci S, Zanuso S, Massarini M, Corigliano G, Nicolucci A, Missori S, Cavallo S, Cardelli P, Alessi E, **Pugliese G**, Fallucca F, for the Italian Diabetes Exercise Study (IDES) Group. The Italian Diabetes and Exercise Study (IDES): Design and methods for a prospective Italian multicentre trial of intensive lifestyle intervention in people with type 2 diabetic and the metabolic Syndrome. *Nutr Metab Cardiovasc Dis.* 2008; 18:585-595.

92. **Pugliese G**. Do advanced glycation end products contribute to the development of long-term diabetic complications? *Nutr Metab Cardiovasc Dis.* 2008; 18:457-460.

93. Balducci S, Alessi E, Cardelli P, Cavallo S, Fallucca F, **Pugliese G**. Effects of different modes of exercise training on glucose control and risk factors for complications in type 2 diabetic patients: a meta-analysis: response to Snowling and Hopkins. *Diabetes Care.* 2007; 30:e25.

94. Maione A, Nicolucci A, Craig JC, Tognoni G, Moschetta A, Palasciano G, Pugliese G, Procaccini DA, Gesualdo L, Pellegrini F, Strippoli GF, LIRICO Study Group. Protocol of the Long-term Impact of RAS Inhibition on Cardiorenal Outcomes (LIRICO) randomized trial. *J Nephrol.* 2007; 20:646-655.

95. Maione A, Nicolucci A, Craig JC, Tognoni G, Moschetta A, Palasciano G, **Pugliese G**, Procaccini DA, Gesualdo L, Pellegrini F, Strippoli GFM. Angiotensin converting enzyme inhibitors, angiotensin receptor blockers and combined therapy in microalbuminuric patients with one or more cardiovascular risk factors. Protocol of the Long-term Impact of RAS Inhibition on Cardiorenal Outcomes randomized trial (LIRICO). *G Ital Nefrol.* 2007; 24:446-456.

96. Del Carro U, Fiorina P, Amadio S, Maffi P, De Toni Franceschini L, Petrelli A, Menini S, Bertuzzi F, Ferrari S, **Pugliese G**, Comi G, Secchi A. Evaluation of polyneuropathy markers in type 1 diabetic kidney transplant patients and effects of islet transplantation: neurophysiological and skin biopsy longitudinal analysis. *Diabetes Care.* 2007; 30:3063-3069.

97. Menini S, Iacobini C, Oddi G, Ricci C, Simonelli P, Fallucca S, Grattarola M, Pugliese F, Pesce C, **Pugliese G**. Increased glomerular cell (podocyte) apoptosis in rats with streptozotocin-induced diabetes mellitus: its role in the development of diabetic glomerular disease. *Diabetologia.* 2007; 50:2591-2599.

98. **Pugliese G**, Ricci C, Iacobini C, Menini S, Fioretto P, Ferrandi M, Giardino AL, Armelloni S, Mattinzoli D, Rastaldi MP, Pugliese F. Glomerular barrier dysfunction in glomerulosclerosis-resistant Milan rats with experimental diabetes: role of renal hemodynamics. *J Pathol.* 2007; 213:210-218.

99. Menini S, Iacobini C, Ricci C, Oddi G, Pesce C, Pugliese F, Block K, Abboud HE, Giorgio M, Migliaccio E, Pelicci PG, **Pugliese G**. Ablation of $p66^{Shc}$ protects from AGE-induced glomerulopathy by preventing oxidant-dependent tissue injury and further AGE accumulation. *Diabetologia.* 2007; 50:1997-2007.

100. Solini A, Santini E, Chimenti D, Chiozzi P, Pratesi F, Cuccato S, Falzoni S, Lupi R, Ferrannini E, **Pugliese G**, Di Virgilio F. Multiple P2X receptors are involved in the modulation of apoptosis in human mesangial cells: evidence for a key role of P2X4. *Am J Physiol (Renal Physiol).* 2007; 292:F1537-F1547.

101. Menini S, Amadio L, Oddi G, Ricci C, Pesce C, Pugliese F, Giorgio M, Migliaccio E, Pelicci PG, Iacobini C, **Pugliese G**. Deletion of $p66^{Shc}$ longevity gene protects against experimental diabetic glomerulopathy by preventing diabetes-induced oxidative stress. *Diabetes.* 2006; 55:1642-1650.

102. Ricci C, Iacobini C, Oddi G, Amadio L, Menini S, Rastaldi MP, Frasheri A, Pricci F, Pugliese F, **Pugliese G**. Role of TGF-β/GLUT1 axis in susceptibility vs. resistance to diabetic glomerulopathy in the Milan rat model. *Nephrol Dial Transplant.* 2006; 21:1514-1524.

103. Iacobini C, Oddi G, Menini S, Amadio L, Ricci C, Barsotti P, C Di Pippo, Sorcini M, Pricci F, Pugliese F, **Pugliese G**. Development of age-dependent glomerular lesions in galectin-3/AGE-receptor-3 knockout and wild type mice. *Am J Physiol (Renal Physiol).* 2005; 289:F611-F621.

104. **Pugliese G**, Pricci F, Barsotti P, Iacobini C, Ricci C, Oddi G, Romeo G, Leto G, Marano G, Sorcini M, Sabbatini M, Fuiano G, Di Mario U, Pugliese F. Development of diabetic nephropathy in the Milan Normotensive Strain, but not in the Milan Hypertensive Strain. Possible permissive role of hemodynamics. *Kidney Int.* 2005; 67:1440-1452.

105. Solini A, Iacobini C, Ricci C, Chiozzi P, Amadio L, Pricci F, Di Mario U, Di Virgilio F, **Pugliese G**. Purinergic modulation of mesangial extracellular matrix production: role in diabetic and other glomerular diseases. *Kidney Int.* 2005; 67:875-885.

106. Iacobini C, Menini S, Oddi G, Ricci C, Amadio L, Pricci F, Olivieri A, Sorcini M, Di Mario U, Pesce C, **Pugliese G**. Galectin-3/AGE-receptor 3 knockout mice show accelerated AGE-induced glomerular injury. Evidence for a protective role of galectin-3 as an AGE-receptor. *FASEB J.* 2004; 18:1773-1775.

107. Menini S, Ricci C, Iacobini C, Bianchi G, **Pugliese G**, Pesce C. Glomerular number and size in Milan hypertensive and normotensive rats: their relationship to susceptibility and resistance to hypertension and renal disease. *J Hypertens.* 2004; 22:2185-2192.

108. Pricci F, Leto G, Amadio L, Iacobini C, Cordone S, Catalano S, Zicari A, Sorcini M, Di Mario U, **Pugliese G**. Oxidative stress in endothelial dysfunction: involvement of nitric oxide and protein kinase C. *Free Rad Biol Med.* 2003; 35:683-694.

109. Iacobini C, Amadio L, Oddi G, Ricci C, Barsotti P, Missori S, Sorcini M, Di Mario U, Pricci F, **Pugliese G**. Role of galectin-3 in diabetic nephropathy. *J Am Soc Nephrol.* 2003; 14:S264–S270.

110. Pesce C, Menini S, Pricci F, Favre A, Leto G, Di Mario U, **Pugliese G**. Glomerular cell replication and cell loss through apoptosis in experimental diabetes mellitus. *Nephron.* 2002; 90:484-488.

111. Leto G, Pricci F, Amadio L, Iacobini C, Cordone S, Diaz-Horta O, Romeo G, Barsotti P, Rotella CM, Di Mario U, **Pugliese G**. Increased retinal endothelial cell monolayer permeability induced by the diabetic *milieu:* role of nonenzymatic glycation and polyol pathway activation. *Diabetes Metab Res Rev.* 2001; 17:448-458.

112. **Pugliese G**, Pricci F, Iacobini C, Leto G, Amadio L, Barsotti P, Frigeri L, Hsu DK, Vlassara H, Liu F-T, Di Mario U. Accelerated diabetic glomerulopathy in galectin-3/AGE-receptor-3 knockout mice. *FASEB J.* 2001; 15:2471-2479.

113. Di Mario U, **Pugliese G**. 15th Golgi lecture: from hyperglycaemia to the dysregulation of vascular remodelling in diabetes. *Diabetologia.* 2001; 44:674-692.

114. Pricci F, Leto G, Amadio L, Iacobini C, Romeo G, Cordone S, Gradini R, Barsotti P, Liu F-T, Di Mario U, **Pugliese G**. Role of galectin-3 as a receptor for advanced glycosylation endproducts. *Kidney Int.* 2000; 58:S31-S39.

115. **Pugliese G**, Pricci F, Leto G, Amadio L, Iacobini C, Romeo G, Lenti L, Sale P, Gradini R, Liu F-T, Di Mario U. The diabetic *milieu* modulates the AGE-receptor complex in the mesangium by inducing or up-regulating galectin-3 expression. *Diabetes.* 2000; 49:1249-1257.

116. Locuratolo N, **Pugliese G**, Pricci F, Romeo G, Mariani P , Diaz-Horta O, Calvani L, Montuori M, Cipolletta E, Di Mario U, Bonamico M. The circulating insulin-like growth

factor system in children with coeliac disease: An additional marker for disease activity. *Diabetes Metab Res Rev.* 1999; 15:254-260.

117. **Pugliese G**, Pricci F, Romeo G, Leto G, Amadio L, Iacobini C, Di Mario U. Autocrine and paracrine mechanisms in the early stages of diabetic nephropathy. *J Endocrinol Invest.* 1999; 22:708-735.

118. Menè P, Pecci G, Cinotti GA, **Pugliese G**, Pricci F, Pugliese F. Eicosanoid synthesis in peripheral blood monocytes: a marker of disease activity in lupus nephritis. *Am J Kidney Dis.* 1998; 32:778-784.

119. **Pugliese G**, Pricci F, Romeo G, Menè P, Pugliese F, Giannini S, Cresci B, Galli G, Rotella CM, Vlassara H, Di Mario U. Up-regulation of mesangial growth factor and extracellular matrix synthesis by advanced glycation endproducts (AGEs) via a receptor-mediated mechanism. *Diabetes.* 1997; 46:1881-1887.

120. **Pugliese G**, Pricci F, Pesce CM, Romeo G, Lenti E, Vetri M, Caltabiano V, Purrello F, Di Mario U. Early, but not advanced, experimental diabetic glomerulopathy is reversed by pancreatic islet transplants. Correlation with glomerular extracellular matrix mRNA levels. *Diabetes.* 1997; 46:1198-1206.

121. Menè P, **Pugliese G**, Pricci F, Di Mario U, Cinotti GA, Pugliese F. High glucose inhibits capacitative Ca^{2+} influx in cultured rat mesangial cells by a protein kinase C-dependent mechanism. *Diabetologia*. 1997; 40:521-527.

122. **Pugliese G,** Pricci F, Menè P, Romeo G, Nofroni I, Giannini S, Cresci B, Galli G, Rotella CM, Di Mario U, Pugliese F. High glucose level unmasks a genetic predisposition to enhanced extracellular matrix production in mesangial cells from rats of the Milan normotensive strain. *J Am Soc Nephrol.* 1997; 8:406-414.

123. Pricci F, **Pugliese G**, Menè P, Romeo G, Romano G, Galli G, Casini A, Rotella CM, Di Mario U, Pugliese F. Regulatory role of eicosanoids in extracellular matrix overproduction induced by prolonged exposure to high glucose in cultured rat mesangial cells. *Diabetologia.* 1996; 39:1055-1062.

124. Morano S Sensi M, Di Gregorio S, Pozzessere G, Petrucci AFG, Valle E, **Pugliese G**, Caltabiano V, Vetri M, Di Mario U, Purrello F. Peripheral, but not central, neuroelectrophysiological abnormalities are reversed by pancreatic islet transplantation in diabetic Lewis rats. *Eur J Neurosci.* 1996; 8:1117-1123.

125. **Pugliese G**, Pricci F, Locuratolo N, Romeo G, Romano G, Giannini S, Cresci B, Galli G, Rotella CM, Di Mario U. Increased activity of the insulin-like growth factor system in mesangial cells cultured in high glucose conditions: relation to glucose-enhanced extracellular matrix production. *Diabetologia.* 1996; 39:775-784.

126. Pricci F, **Pugliese G**, Romano G, Romeo G, Locuratolo N, Menè P, Pugliese F, Galli G, Casini A, Rotella CM, Di Mario U. Insulin-like growth factor (IGF)-I and IGF-II stimulate extracellular matrix production in human mesangial cells. Comparison with transforming growth factor-β (TGF-β). *Endocrinology.* 1996; 137:879-885.

127. Sensi M, Pricci F, **Pugliese G**, De Rossi MG, Petrucci AFG, Cristina A, Morano S, Pozzessere G, Valle E, Andreani D, Di Mario U. Role of advanced glycation endproducts (AGE) in late diabetic complications. *Diab Res Clin Pract.* 1995; 28:9-17.

128. **Pugliese G**, Pricci F, Pugliese F, Menè P, Lenti L, Andreani D, Galli G, Casini A, Bianchi S, Rotella CM, Di Mario U. Mechanisms of glucose-enhanced extracellular matrix accumulation in rat glomerular mesangial cells. *Diabetes.* 1994; 43:478-490.

129. **Pugliese G**, Tilton RG, Speedy A, Province MA, Oates PJ, Williamson JR. Effects of combined insulin and sorbinil treatment on diabetes-induced vascular dysfunction in rats. *Metabolism.* 1994; 43:492-500.

130. Menè P, **Pugliese G**, Pricci F, Di Mario U, Cinotti GA, Pugliese F. High glucose inhibits cytosolic calcium signalling in cultured rat mesangial cells. *Kidney Int*. 1993; 43:585-589.

131. Tilton RG, **Pugliese G**, Faller AM, LaRose LS, Province MA, Williamson JR. Interactions between hypertension and diabetes on vascular function and structure in rats. *J Diab Compl.* 1992; 6:357-360.

132. Ido Y, Tilton RG, Chang K, **Pugliese G**, Williamson JR. Rapid measurement of glomerular filtration rate in small animals. *Kidney Int.* 1992; 41:435-439.

133. Di Mario U, Bacci S, Morano S, **Pugliese G**, Pietravalle P, Andreani D, Morabito S,

Simonetti BM, Pierucci A. Selective decrement of anionic immunoglobulin clearance after induced renal hemodynamic changes. *Am J Physiol.* 1992; 262:F381-F388.

134. Pricci F, **Pugliese G**, Pugliese F, Menè P, Andreani D, Galli G, Casini A, Rotella CM, Di Mario U. Mechanisms of glucose-induced extracellular matrix overproduction by cultured vascular cells. *Acta Diabetol.* 1992; 29:264-267.

135. Sensi M, Pricci F, **Pugliese G**, De Rossi MG, Celi FS, Cristina A, Morano S, Andreani D, Di Mario U. Enhanced nonenzymatic glycation of eye lens proteins in experimental diabetes mellitus: an approach for the study of protein alterations as mediators of normal aging phenomena. *Arch Gerontol Geriatr.* 1992; 3(Suppl.):333-338.

136. **Pugliese G**, Tilton RG, Williamson JR. Glucose-induced metabolic imbalances in the pathogenesis of diabetic vascular disease. *Diabetes Metab Rev.* 1991; 7:35-59.

137. Tilton RG, **Pugliese G**, LaRose LS, Faller AM, Chang K, Province MA, Williamson JR. Discordant effects of the aldose reductase inhibitor, sorbinil, on vascular structure and function in chronically diabetic and galactosemic rats. *J Diab Compl.* 1991; 5:230-237.

138. **Pugliese G**, Tilton RG, Speedy A, Chang K, Province MA, Kilo C, Williamson JR. Vascular filtration function in galactose-fed versus diabetic rats: the role of polyol pathway activity. *Metabolism.* 1990; 39:690-697.

139. **Pugliese G**, Tilton RG, Chang K, Speedy A, Province MA, Eades DM, Lacy PE, Kilo C, Williamson JR. Effects of islet isografts on hemodynamic and vascular filtration changes in diabetic rats. *Diabetes.* 1990; 39:323-332.

140. **Pugliese G**, Tilton RG, Speedy A, Santarelli E, Eades DM, Province MA, Kilo C, Sherman WR, Williamson JR. Modulation of hemodynamic and vascular filtration changes in diabetic rats by dietary *myo*-inositol. *Diabetes.* 1990; 39:312-322.

141. **Pugliese G**, Tilton RG, Speedy A, Chang K, Santarelli E, Province MA, Eades DM, Sherman WR, Williamson JR. Effects of very mild versus overt diabetes on vascular hemodynamics and barrier function in rats. *Diabetologia.* 1989; 32:845-857.

142. Tilton RG, Chang K, **Pugliese G**, Eades DM, Province MA, Sherman WR, Kilo C, Williamson JR. Prevention of hemodynamic and vascular (albumin) filtration changes in diabetic rats by aldose reductase inhibitors. *Diabetes.* 1989; 38:1258-1270.

143. Tilton RG, **Pugliese G**, Chang K, Speedy A, Province MA, Kilo C, Williamson JR. Effects of hypothyroidism on vascular ^{125}I-albumin permeation and blood flow in rats. *Metabolism.* 1989; 38:471-478.

144. Di Mario U, **Pugliese G**. Diabetic complications: is there a way out of the labyrinth? *J Diab Compl.* 1988; 2:163-166.

145. Tilton RG, **Pugliese G**, Chang K, Kilo C, Williamson JR. Effects of nephrectomy and high protein diets on glomerular hemodynamics and urinary protein excretion in diabetic rats. *J Diab Compl.* 1988; 2:30-33.

146. Di Mario U, Cavatorta FP, Vitillo M, Perfetti R, **Pugliese G**, Pozzilli P, Andreani D. Quantitative immunological differences between newly diagnosed Greaves' patients and relapsed patients. *J Endocrinol Invest.* 1988; 11:85-89.

CAPACITÀ E COMPETENZE TECNICHE OTTIME

PATENTE O PATENTI B per auto

ULTERIORI INFORMAZIONI

Il sottoscritto è a conoscenza che, ai sensi dell'art. 26 della legge 15/68, le dichiarazioni mendaci, la falsità negli atti e l'uso di atti falsi sono puniti ai sensi del codice penale e delle leggi speciali. Inoltre, il sottoscritto autorizza al trattamento dei dati personali, secondo quanto previsto dalla Legge 196/03.



Firma per esteso (nome e cognome)

Roma lì 12/12/2018